

MOVIPREP

You Must Remain on a Clear Liquid Diet the Entire Day Before the Colonoscopy. NO FOOD

Medications such as aspirin, iron, vitamin E and NSAIDs (ibuprofen, Aleve, etc.) should be stopped for one week prior to the colonoscopy. If you take prescription Plavix, Coumadin, Aggrenox or Pradaxa, speak with your physician as these will also need to be stopped prior to the colonoscopy.

The MoviPrep carton contains 4 pouches and a disposable container for mixing. You must complete the entire prep to ensure the most effective cleansing.

STEP 1: Mix the prep solution the morning before the colonoscopy and place in the refrigerator.

- Empty 1 pouch A and 1 pouch B into the disposable container.
- Add lukewarm drinking water to the top line of the container. Mix to dissolve. *(if preferred, mix solution ahead of time and refrigerate prior to drinking. The reconstituted solution should be used within 24 hours).*

STEP 2: BEGIN DRINKING THE FIRST DOSE THE AFTERNOON PRIOR TO THE COLONOSCOPY AT 4:00 PM

- The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz.) until the full liter is consumed.
- Drink 16 oz of the clear liquid of your choice. This is a necessary step to ensure adequate hydration and effective prep. (Clear liquids include: water, ginger ale, apple juice, Gatorade, lemonade and broth. No red or purple liquids. Ask your doctor if you have any questions about whether a particular drink is acceptable).

STEP 3: Mix Second Dose

- Add lukewarm drinking water to the top line of the container. Mix to dissolve. (If preferred, mix solution ahead of time and refrigerate prior to drinking. The reconstituted solution should be used within 24 hours).

STEP 4: BEGIN DRINKING THE SECOND DOSE THE EVENING PRIOR TO THE COLONOSCOPY AT 9:00 PM

- The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz.) until the full liter is consumed.
- Drink 16 oz of water once the second dose is consumed.

A colonoscopy prep causes the body to lose a significant amount of fluid and can result in a sickness due to dehydration. It's important that you prepare your body by drinking extra clear liquids before the prep. Stay hydrated by drinking all required clear liquids during the prep. Replenish your system by drinking clear liquids after returning home from your colonoscopy.

If you have any questions, please call our office at 770-995-3113 or 770-495-8300 for the Duluth office.

1 – Gastroenterology Specialists of Gwinnett PC

**721 Wellness Way NW, Suite 100, Lawrenceville, GA 30045 (770) 995-7989, (770) 995-3113
3855 Pleasant Hill Road, Suite 230, Duluth, GA 30096 (770) 495-8300**

**Zack Z. Martin, M.D. D. Bradley Lord, M.D. W. Gordon Tanner, Jr., M.D.
Jae W. Nam, M.D. Pamela Boyd, APRN FNP-C**

LOW FIBER/LOW RESIDUE AND LIQUID DIETS

LOW FIBER DIET: (2 DAYS PRIOR TO COLONOSCOPY):

Soups: Broth, cream soups, tomato, chicken and white rice, noodles

Meats/Protein: Any soft or easy to chew meat or fish. Such as fish or chicken. Avoid red meat.

Vegetables: Well-cooked or canned vegetables, without seeds or skins. Such as carrots, potatoes without skins and tomatoes without seeds or skins.

Fruits: All juices without pulp, cooked or canned fruits without seeds, membranes, or hulls including: applesauce, cherries, peaches, bananas, citrus fruits.

Cereals: No multigrain or high fiber cereals. Refined cereals or ready to eat oatmeal.

Starches: No whole grain, multigrain or wheat breads or pastas. May have enriched white bread, without seeds, biscuits, rolls, crackers or bread made from white flour, plain doughnuts or English muffins, plain macaroni, noodles or spaghetti, white rice, plain waffles or pancakes, saltines.

Cheese/Eggs: Cottage cheese, cream cheese, mild cheese such as American or Swiss. Yogurt without fruit. All eggs.

Desserts: Plain cake, cookies, gelatin, ice cream, pudding, sherbet, pie made from refined flour. No seeds, raisins, coconuts or nuts.

Beverages: Limit milk to two cups a day, carbonated beverages, coffee, tea, fruit-flavored drinks.

Fat: Crisp bacon, butter, cream, margarine, mayonnaise, oils, shortening, smooth salad dressing, sour cream.

LIQUID DIET: (All day on the day prior to the colonoscopy. NO SOLID FOOD FOR THE ENTIRE DAY.)

Soups: Clear consommé, bouillon or broth.

Beverages: Tea, coffee, carbonated drinks, water, Kool-Aid (no red or purple).

Juices: Cranberry (no red or purple), apple, strained lemonade, or orange juice.

Desserts: Gelatins, water-ices, popsicles (no red or purple).

Miscellaneous: Hard candy (Lifesavers, etc.)

1 – Gastroenterology Specialists of Gwinnett PC

**721 Wellness Way NW, Suite 100, Lawrenceville, GA 30045 (770) 995-7989, (770) 995-3113
3855 Pleasant Hill Road, Suite 230, Duluth, GA 30096 (770) 495-8300**

**Zack Z. Martin, M.D. D. Bradley Lord, M.D. W. Gordon Tanner, Jr., M.D.
Jae W. Nam, M.D. Pamela Boyd, APRN FNP-C**

COLONOSCOPY

Colonoscopy is an examination for the inside of the large intestine by means of a flexible tube attached to a source of bright light. The doctor is able to see the lining of the large intestine clearly through this tube.

After completing the preparation at home, come to the facility as instructed, where you will change into a gown. The test will be more fully explained, and you will be given an opportunity to ask questions. The nurse will then insert a small needle into your vein to administer the IV solution. You will receive medication through your IV before and during the procedure to make you relaxed and comfortable. During the exam, you will be lying on your left side on a stretcher bed.

After you are adequately sedated, the doctor will examine your rectum and insert the lubricated tube. During the procedure, you may experience crampy sensations similar to gas pains. These are due to the air put into your intestine through the tube in order to see well and to the tube passing around the bends of your intestine. You may feel that you need to move your bowels due to the presence of the tube and air. You are free to expel air as needed for your comfort. Any excess air can be suctioned out by the physician.

When the exam is over, you will rest in the recovery area until fully awake, and the doctor will explain the results of the exam to you and your family before you leave.

It is necessary to BRING A DRIVER FOR THE TRIP HOME, and you should not resume your usual work or driving until the day following the procedure. Do not eat or drink anything on the morning of the test unless specifically instructed otherwise. Please plan on taking your medications following the examination.

If you have any questions, please call our office at 770-995-3113 or 770-495-8300 even after hours.

What to expect the day of your procedure...

We are so happy you have chosen to have your procedure at Northeast Endoscopy Center with one of our five excellent physicians! Below are some bullet points as to what we provide and what we would like for you to anticipate the day of your procedure.

- **You must have a driver!** Please tell your driver to anticipate staying on the premises. If they leave there is a high likelihood that they will miss speaking to the doctor and generally post procedure you will not remember much of the conversation due to sedation given for your exam. Unfortunately, we do not have vending on site so please have your driver bring refreshments with them. Additionally, we keep it cold in the center for many reasons so please bring a jacket.
- Your time given by the office to be here is your check-in time; your procedure is generally 30 minutes after your check-in time. Please arrive on time so that there is ample time to complete paperwork and for the nursing staff to complete your assessment.
- If you have any payment due, our billing office will call you prior to your day of service to make arrangements. Billing is in Suite 100; procedures are in Suite 110.
- Please wear loose comfortable clothing. We will assist you in dressing after your procedure unless you have a driver that will step in to assist. Our policy is that no one post procedure dresses unattended. **Safety first!**
- Our physicians have chosen to use anesthesia that is categorized as conscious sedation. You can generally follow simple instructions under this type of anesthesia. Our goal is to maintain comfort while you are breathing on your own. Most patients fall asleep as the doctor conducts the exam. There are several different reasons they have chosen this type of anesthesia; here are some key reminders for the day of your procedure that are all related to your sedation:
 1. You cannot drive for the remainder of the day.
 2. You may need to take a nap once you are home and settled.
 3. You will most likely have some amnesia post procedure.
- You will be provided written discharge instructions post procedure specifically curtailed to your findings along with various things to watch out for.

Our doors open at 6:30 am, and we are available via telephone after this time at **678-879-0999** if you have any questions the day of your procedure.

If you had your office appointment in our Duluth or Suwanee location, please remember that we are in the same building as the Lawrenceville office – **721 Wellness Way, Suite 110, Lawrenceville, GA 30046.**

Thank you! WE look forward to taking excellent care of you!

Virginia Avian, RN (Clinical Director) & Staff